

Revision date: 2018/09/19 Page: 1/9
Version: 1.1 (30689960/SDS GEN US/EN)

1. Identification

Product identifier used on the label

GARDOCLEAN S 5219

Recommended use of the chemical and restriction on use

Recommended use*: Detergents Unsuitable for use: None known Restricted to professional users.

Details of the supplier of the safety data sheet

Company:
Chemetall U.S., Inc.
675 Central Avenue
New Providence, NJ 07974 – USA
+1 800 526-4473
sds.na-chemetall@basf.com

Emergency telephone number

Telephone: 800-424-9300, 1-703-527-3887

Other means of identification

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

Repr. 1 (unborn child) Reproductive toxicity Repr. 1 (fertility) Reproductive toxicity

Label elements

Pictogram:

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2018/09/19 Page: 2/9
Version: 1.1 (30689960/SDS GEN US/EN)



Signal Word: Danger

Hazard Statement:

H319 Causes serious eye irritation.

H360 May damage fertility. May damage the unborn child.

Precautionary Statements (Prevention):

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P281 Use personal protective equipment as required.

P264 Wash with plenty of water and soap thoroughly after handling.
P202 Do not handle until all safety precautions have been read and

understood.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.
P308 + P313 IF exposed or concerned: Get medical advice/attention.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	<u>Weight %</u>	Chemical name
34398-01-1	>= 1.0 - < 3.0%	Poly(oxy-1,2-ethanediyl), .alphaundecylomega
		hydroxy-
Trade Secret	>= 10.0 - < 15.0%	Trade Secret Registry
10043-35-3	>= 3.0 - < 5.0%	Boric acid
Trade Secret	>= 1.0 - < 3.0%	Trade Secret Registry

4. First-Aid Measures

Description of first aid measures

Revision date: 2018/09/19 Page: 3/9
Version: 1.1 (30689960/SDS GEN US/EN)

General advice:

First aid personnel should pay attention to their own safety. Remove affected person from danger area. Remove contaminated clothes, undergarments and shoes immediately. Call a poison control center or physician for treatment advice.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

If on skin:

Wash affected areas thoroughly with soap and water. If symptoms persist, seek medical advice.

If in eyes:

Rinse immediately with plenty of water, also under the eyelids, for at least 30 minutes. Seek medical attention.

If swallowed:

Rinse mouth immediately with water. Do not induce vomiting. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat symptomatically.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

carbon dioxide, dry powder, alcohol-resistant foam, water spray

Unsuitable extinguishing media for safety reasons:

water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon oxides, Phosphorus compounds, nitrogenous compounds

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

Cool endangered containers with water-spray. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Revision date : 2018/09/19 Page: 4/9
Version: 1.1 (30689960/SDS GEN US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Ensure adequate ventilation. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for diposal according with the waste regulations (see section 13). Clean preferably with a detergent; avoid the use of solvents. Collect waste in suitable containers, which can be labeled and sealed.

7. Handling and Storage

Precautions for safe handling

Do not return residues to the storage containers. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid inhalation of vapour and spray mist. The workplace should be equipped with an emergency shower and eye-rinsing facility. Avoid contact with the skin, eyes and clothing. Keep away from food, drink and animal feeding stuffs. Warn users about safety measures and precautions to prevent accidents.

Protection against fire and explosion:

Keep away from sources of ignition - No smoking. The relevant fire protection measures should be noted.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephtalate (PET), Polypropylene (PP), Carbon steel (Iron), tinned carbon steel (Tinplate)

Further information on storage conditions: The entrance to storage rooms is to be granted only to appropriately trained personnel. Keep only in the original container. Keep container tightly closed in a cool, well-ventilated place. Avoid direct sunlight.

Storage stability:

Storage duration: 24 Months

8. Exposure Controls/Personal Protection

No occupational exposure limits known.

Advice on system design:

Use only in well-ventilated areas.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

Revision date : 2018/09/19 Page: 5/9
Version: 1.1 (30689960/SDS GEN US/EN)

Hand protection:

chloroprene rubber (Neoprene), Use suitable protective gloves made of nitrile rubber or butyl rubber. Please observe the glove manufacturer's instructions on permeability and ruptur times as well as the specific workplace conditions., Chemical resistant protective gloves (EN 374), Further information on penetration time is available from the manufacturer of the glove., The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing. Eye wash fountains and safety showers must be easily accessible. Take off immediately all contaminated clothing. Keep away from food, drink and animal feeding stuffs. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Form: liquid Odour: mild

Odour threshold: No data available.

Colour: yellow pH value: 9.5 - 10.5

(20 °C) (undiluted)

solidification 0 °C

temperature:

boiling temperature:

Flash point:

Flammability:

Lower explosion limit:

Upper explosion limit:

Vapour pressure:

Density:

No data available.

not applicable

not applicable

not applicable

No data available.

1.174 g/cm3

(20°C)

Vapour density: No data available. Partitioning coefficient n- No data available.

octanol/water (log Pow):

Solubility in water: fully soluble Miscibility with water: miscible

Evaporation rate: No data available.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

Revision date : 2018/09/19 Page: 6/9
Version: 1.1 (30689960/SDS GEN US/EN)

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

None known

Conditions to avoid

Avoid direct sunlight.

Incompatible materials

oxidizing agents

Hazardous decomposition products

Decomposition products:

Possible decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Based on available Data, the classification criteria are not met.

<u>Oral</u>

Type of value: ATE Value: > 5,000 mg/kg

Dermal

Type of value: ATE Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Irritation / corrosion

Assessment of irritating effects: Eye contact causes irritation.

Sensitization

Assessment of sensitization: Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Revision date: 2018/09/19 Page: 7/9
Version: 1.1 (30689960/SDS GEN US/EN)

Assessment of repeated dose toxicity: Based on available Data, the classification criteria are not met

Genetic toxicity

Assessment of mutagenicity: Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity: May impair fertility.

Teratogenicity

Assessment of teratogenicity: May cause harm to the unborn child.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

12. Ecological Information

Persistence and degradability

Assessment biodegradation and elimination (H2O)

No data available concerning biodegradation and elimination.

Bioaccumulative potential

Bioaccumulation potential

No data available.

Mobility in soil

Assessment transport between environmental compartments

No data available.

No data available.

Additional information

Other ecotoxicological advice:

Do not allow to enter soil, waterways or waste water channels.

13. Disposal considerations

Waste disposal of substance:

Observe national and local legal requirements.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Revision date : 2018/09/19 Page: 8/9
Version: 1.1 (30689960/SDS GEN US/EN)

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLA RQ
5000 LBSCAS Number
79-10-7Chemical name
acrylic acid

NFPA Hazard codes:

Health: 1 Fire: 0 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 0 Physical hazard:0

16. Other Information

SDS Prepared by:

Chemetall (now part of BASF Group) NA Product Regulations SDS Prepared on: 2018/09/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date : 2018/09/19 Page: 9/9
Version: 1.1 (30689960/SDS_GEN_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**