

Safety Data Sheet

Vesta-Power

Revision date : 2019/04/18
Version: 1.0

Page: 1/8
(30689668/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Vesta-Power

Recommended use of the chemical and restriction on use

Recommended use*: Detergents

Unsuitable for use: None known

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
Chemetall U.S., Inc.
675 Central Avenue
New Providence, NJ 07974 – USA
+1 800 526-4473
michael.l.chang@basf.com

Emergency telephone number

Telephone: 800-424-9300, 1-703-527-3887

Other means of identification

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Sens.	1	Skin sensitization
Met. Corr.	1	Corrosive to metals
Skin Corr./Irrit.	1	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation

Label elements

Pictogram:

Safety Data Sheet

Vesta-Power

Revision date : 2019/04/18
Version: 1.0

Page: 2/8
(30689668/SDS_GEN_US/EN)



Signal Word:
Danger

Hazard Statement:

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H290 May be corrosive to metals.

Precautionary Statements (Prevention):

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 Wash with plenty of water and soap thoroughly after handling.
P234 Keep only in original packaging.
P260 Do not breathe dust or mist.
P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P390 Absorb spillage to prevent material damage.
P363 Wash contaminated clothing before reuse.
P321 Specific treatment (see on this label).
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements (Storage):

P405 Store locked up.
P406 Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection point.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
127087-87-0	>= 1.0 - < 3.0%	Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched

Safety Data Sheet

Vesta-Power

Revision date : 2019/04/18

Page: 3/8

Version: 1.0

(30689668/SDS_GEN_US/EN)

9004-83-5	>= 0.3 - < 1.0%	Poly(oxy-1,2-ethanediyl), alpha-(2-(tert-dodecylthio)ethyl)-omega-hydroxy-
Trade Secret	>= 1.0 - < 3.0%	Trade secret registry
Trade Secret	>= 1.0 - < 3.0%	Trade secret registry

4. First-Aid Measures

Description of first aid measures

General advice:

Immediately remove contaminated clothing. First aid personnel should pay attention to their own safety. Remove affected person from danger area. Show container, label and/or safety data sheet to physician.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

If on skin:

Flush with copious amounts of water for at least 15 minutes. Immediate medical attention required.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Immediate medical attention required.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Summon medical aid without delay.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: May cause severe burns of the mouth and throat if orally ingested, as well as a danger of perforation of the oesophagus and the stomach.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

carbon dioxide, dry powder, alcohol-resistant foam, water spray

Unsuitable extinguishing media for safety reasons:

water jet

Special hazards arising from the substance or mixture

Safety Data Sheet

Vesta-Power

Revision date : 2019/04/18
Version: 1.0

Page: 4/8
(30689668/SDS_GEN_US/EN)

Hazards during fire-fighting:
carbon oxides, phosphorus oxides

Advice for fire-fighters

Protective equipment for fire-fighting:
Appropriate breathing apparatus may be required.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Ensure adequate ventilation. Pick up with inert absorbent material (e.g. sand, earth etc.). Take up mechanically and collect in suitable container (adequately labelled) for disposal.

7. Handling and Storage

Precautions for safe handling

Do not return residues to the storage containers. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid inhalation of vapour and spray mist. The workplace should be equipped with an emergency shower and eye-rinsing facility. Avoid contact with skin and eyes. Keep away from food, drink and animal feeding stuffs. Warn users about safety measures and precautions to prevent accidents.

Protection against fire and explosion:

The substance/product is non-combustible. The relevant fire protection measures should be noted.

Conditions for safe storage, including any incompatibilities

Segregate from acids.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephthalate (PET), Polypropylene (PP)

Further information on storage conditions: The entrance to storage rooms is to be granted only to appropriately trained personnel. Keep only in the original container. Keep in a cool, well-ventilated place. avoid contact with metals Protect from frost. Avoid direct sunlight.

8. Exposure Controls/Personal Protection

No occupational exposure limits known.

Safety Data Sheet

Vesta-Power

Revision date : 2019/04/18
Version: 1.0

Page: 5/8
(30689668/SDS_GEN_US/EN)

Advice on system design:

Use only in well-ventilated areas.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

Hand protection:

Chemical resistant protective gloves (EN 374), Further information on penetration time is available from the manufacturer of the glove., The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream)., Use suitable protective gloves made of nitrile rubber or butyl rubber. Please observe the glove manufacturer's instructions on permeability and rupture times as well as the specific workplace conditions.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Eye wash fountains and safety showers must be easily accessible. Avoid contact with the skin, eyes and clothing. Take off immediately all contaminated clothing. Keep away from food, drink and animal feeding stuffs. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Form:	liquid
Odour:	No data available.
Odour threshold:	No data available.
Colour:	light violet
pH value:	> 12.5 (20 °C) (undiluted)
Melting point:	not determined
onset of boiling:	100 °C
Flash point:	> 93 °C
Flammability:	hardly combustible
Lower explosion limit:	not determined
Upper explosion limit:	not applicable
Autoignition:	not determined
Vapour pressure:	(20 °C) not determined
Density:	1.056 g/cm ³ (20 °C)
Vapour density:	No data available.
Partitioning coefficient n-octanol/water (log Pow):	No data available.
Solubility in water:	fully soluble
Miscibility with water:	miscible
Evaporation rate:	No data available.

Safety Data Sheet

Vesta-Power

Revision date : 2019/04/18
Version: 1.0

Page: 6/8
(30689668/SDS_GEN_US/EN)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
Corrosive effect on metals.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

May react with aluminum, zinc or tin, with formation of hydrogen. Risk of exothermic reaction.

Conditions to avoid

Protect from sunlight.

Incompatible materials

acids, light metals

Hazardous decomposition products

Decomposition products:
Possible decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Primary routes of entry

Ingestion
Skin

Acute Toxicity/Effects

Chronic Toxicity/Effects

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

12. Ecological Information

Bioaccumulative potential

Safety Data Sheet

Vesta-Power

Revision date : 2019/04/18

Version: 1.0

Page: 7/8

(30689668/SDS_GEN_US/EN)

Bioaccumulation potential

No data available.

Mobility in soil

Assessment transport between environmental compartments

No data available.

13. Disposal considerations

Waste disposal of substance:

Observe national and local legal requirements.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

USDOT

Hazard class:	8
Packing group:	III
ID number:	UN 1760
Hazard label:	8
Proper shipping name:	CORROSIVE LIQUID, N.O.S. (contains disodium metasilicate)

Sea transport

IMDG

Hazard class:	8
Packing group:	III
ID number:	UN 1760
Hazard label:	8
Marine pollutant:	NO
Proper shipping name:	CORROSIVE LIQUID, N.O.S. (contains disodium metasilicate)

Air transport

IATA/ICAO

Hazard class:	8
Packing group:	III
ID number:	UN 1760
Hazard label:	8
Proper shipping name:	CORROSIVE LIQUID, N.O.S. (contains disodium metasilicate)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

Safety Data Sheet

Vesta-Power

Revision date : 2019/04/18

Page: 8/8

Version: 1.0

(30689668/SDS_GEN_US/EN)

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK

PA

MA

NJ

CAS Number

7732-18-5

Trade Secret

Trade Secret

Trade Secret

7732-18-5

Trade Secret

Chemical name

Water

sodium carbonate

Trade secret registry

Trade secret registry

Water

Nonylphenol polyglycol ether

NFPA Hazard codes:

Health: 2

Fire: 0

Reactivity: 0

Special: COR

HMIS III rating

Health: 2

Flammability: 0

Physical hazard: 0

16. Other Information

SDS Prepared by:

Chemetall (now part of BASF Group) NA Product Regulations

SDS Prepared on: 2019/04/18

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET